



GLOBAL INDUSTRY
S O L U T I O N S





SAFETOE SAFETY SHOES MATERIAL TECHNOLOGY

APPROVED



Water-resistant
Cow Nubuck Leather

Water Resistant Membrane



Wide Fitting
Composite Toe Cap



Superior Comfortable
Memory Foam Insoles

Electric Static
Discharge



Anti-nail Penetration
Kevlar Midsole Plate



Oil Resistant
PU/Rubber Outsole



Oil Resistant

PABLO MONZON

7901 4TH ST N SUITE 300
ST. PETERSBURG, FL. 33702
pmonzon@global-industrys.com
+1(645)243-4309

ADRIANA ROJAS

7901 4TH ST N SUITE 300
ST. PETERSBURG, FL. 33702
arojas@global-industrys.com
+1(645)243-4309

EN ISO 20345:2022+A1:2024 SAFETY FOOTWEAR

Marking categories of safety footwear


Category		Additional requirement
Class I	Class II	
SB	SB	Basic requirement
S1	S4	SB+ Closed heel area Energy absorption of seat region Anti-static
S2	S5 ^P S5L S5S	S1+ Water penetration & absorption
S3 ^P S3L S3S		S2+ Perforation resistance according to the type cleated outsole
S6		S2+ Water resistance (WR)
S7 ^P S7L S7S		S3+ Water resistance (WR)

Example of Marking:
EN ISO 20345:2022 +A1:2024
S7L SR FO HRO

Protection Properties (Additional)	Classification			Symbol
	Class I	Class II	Hybrid	
Perforation Resistance	X	X	X	P/PL/PS
Partially Conductive Footwear	X	X	X	C
Anti-static Footwear	X	X	X	A
Heat Insulation of Outsole Complex	X	X	X	HI
Cold Insulation of Outsole Complex	X	X	X	CI
Energy Absorption of Seat Region	X			E
Water Resistance	X			WR
Metatarsal Protection	X	X	X	M
Ankle Protection	X	X	X	AN
Cut Resistance	X	X	X	CR
Slip Resistance (Ceramic+Glycerine)	X	X	X	SR
Water Penetration & Absorption	X			WPA
Resistance to Hot Contact	X	X	X	HRO
Resistance to Fuel Oil	X	X	X	FO
Scuff Cap Abrasion	X	X	X	SC
Ladder Grip	X	X	X	LG



Construction & Building Industry



Best Recommended:

Recommended to use:
Construction, Building, Railway & Highway
Maintenance, Cement Workers, Painters,
Carpenters, Bricklayers, House-Builders etc



Hot Best Selling
In Stock



M-8027

Hot Best Selling
In Stock



L-7163

Heavy Duty S3 Safety Shoes


Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-polyu Insoles
Outsole : PU/PU Dual Density
Toecap : Steel Toecap
Penetration : Steel Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
CE EN ISO 20345:2022+A1:2024 S3 SR FO
ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)



Water Resistant Cow Leather



Anti-Bacterial & Odor Resistant Lining & Insoles



Germany Technology

Slip Resistant & Abrasion Resistant & Oil Resistant



CE S3 Approved Steel Toecap & Steel Plate

Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN

Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N

+



L-7006 S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



M-8010 S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



L-7222 S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Abrasion Resistant Nylon Fabric
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



M-8215 S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Abrasion Resistant Nylon Fabric
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



L-7147 S3 SRC

Upper : Palm Printed Cow Leather
Lining : Breathable BK Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



M-8183 S3 SRC

Upper : Palm Printed Cow Leather
Lining : Breathable BK Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



L-7141 S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable BK Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



M-8138 S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable BK Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022





M-8575



L-7536



M-8520PR



M-8027PR

Super S3 Safety Boots (Metal Free)

Upper : Full Grain Smooth Cow Leather
 Lining : Breathable Sandwich Mesh
 Insole : Super Memory Foam Insoles
 Outsole : PU/Nitrile Rubber Injection (300°C HRO)
 Toecap : Composite Toecap
 Penetration : Kevlar Midsole Plate
 Size : EU 37-47#, UK 3-13#, US4-14#
 CE EN ISO 20345:2022+A1:2024 S3S SR CI HI FO HRO
 ASTM E 2149-2020 Approved Anti-microbial Lining & Insoles (Odor Resistant)




Super S3 Safety Boots (Metal Free)

Upper : High Quality Embossed Cow Leather
 Lining : Breathable Sandwich Mesh
 Insole : Super Memory Foam Insoles
 Outsole : PU/Nitrile Rubber Injection (300°C HRO)
 Toecap : Composite Toecap
 Penetration : Kevlar Midsole Plate
 Size : EU 37-47#, UK 3-13#, US4-14#
 CE EN ISO 20345:2022+A1:2024 S3S SR CI HI FO HRO
 ASTM E 2149-2020 Approved Anti-microbial Lining & Insoles (Odor Resistant)




Overcap Design for Extra Toe Protection



Anti-Bacterial & Odor Resistant Lining & Insoles



Overcap Design for Extra Toe Protection




Anti-Bacterial & Odor Resistant Lining & Insoles




Slip Resistant & Abrasion Resistant & Heat Resistant



Metal Free Composite Toecap & Kevlar Plate



Slip Resistant & Abrasion Resistant & Heat Resistant



Metal Free Composite Toecap & Kevlar Plate

Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN



Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N

Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN



Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N

Light Weight

20%

Logistics & Warehouse



L-7571




L-7572

Breathable & Light-weight Safety Shoes

Upper : 3D Weaving Fabric+TPU Print
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : Flexible PU/PU Injection
Toecap : Composite Toecap
Penetration : Kevlar Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
CE EN ISO 20345:2022+A1:2024 S1 PS FO SR
ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)



Breathable Fabric to Keep Feet Always Dry



Anti-Bacterial & Odor Resistant Lining & Insoles



Manufactured with Germany Injection Technology



Metal Free Composite Toecap & Kevlar Plate

Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN

+

Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N

Light Weight

20%

Logistics & Warehouse



L-7568




L-7570

Breathable & Light-weight Safety Shoes

Upper : 3D Weaving Fabric+TPU Print
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : Flexible PU/PU Injection
Toecap : Composite Toecap
Penetration : Kevlar Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
CE EN ISO 20345:2022+A1:2024 S1 PS FO SR
ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)




Breathable Fabric to Keep Feet Always Dry



Anti-Bacterial & Odor Resistant Lining & Insoles



Manufactured with Germany Injection Technology



Metal Free Composite Toecap & Kevlar Plate

Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN

+

Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N



In Stock
M-8553



Water Resistant Women Design Safety Boots

Upper : Full Grain Cow Nubuck Leather
Lining : Water Resistant Sanvlar-tech Membrane
Insole : Super Memory Foam Insoles
Outsole : PU/Nitrile Rubber Injection (300°C HRO)
Toecap : Steel Toecap
Penetration : Kevlar Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
CE EN ISO 20345:2022+A1:2024 SB PS SR WR CI HI FO HRO EH
ASTM E 2149-2020 Approved Anti-microbial Lining & Insoles (Odor Resistant)




100% Genuine Full Grain Cow Leather



Slip Resistant & Abrasion Resistant & Heat Resistant



Water Resistant Sanvlar-tech Membrane



CE Approved Steel Toecap & Kevlar Plate

In Stock



In Stock



In Stock



In Stock



L-7508ws S1P SRC

Upper: Grey Cow Suede Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



M-8516ws S1P SRC

Upper: Grey Cow Suede Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



L-7508w S3 SRC

Upper: Cow Embossed Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



M-8516w S3 SRC

Upper: Cow Embossed Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR





Hot Best Selling

In Stock



M-8356RB



Twist Lock System




M-8356RB TLS

Super S3 Safety Boots (Metal Free)

Upper : Full Grain Smooth Cow Leather
 Lining : Breathable Sandwich Mesh
 Insole : Super Memory Foam Insoles
 Outsole : PU/Nitrile Rubber Injection (300°C HRO)
 Toecap : Composite Toecap
 Penetration : Kevlar Midsole Plate
 Size : EU 37-47#, UK 3-13#, US4-14#
 CE EN ISO 20345:2022+A1:2024 S3S SR CI HI FO HRO
 ASTM E 2149-2020 Approved Anti-microbial Lining & Insoles (Odor Resistant)



Water Resistant Cow Leather




Anti-Bacterial & Odor Resistant Lining & Insoles



Slip Resistance

Slip Resistant & Abrasion Resistant & Heat Resistant



Metal Free Composite Toecap & Kevlar Plate



L-7342 Black S3 SRC

Upper : Full Grain Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 PR



L-7342 S3 SRC

Upper : High Quality Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2022



M-8361 Black S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2022



M-8361 S3 SRC

Upper : High Quality Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2022 ASTM F2413-11 M I/75



M-8307 Black S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2022 ASTM F2413-11 M I/75



M-8307 S3 SRC

Upper : High Quality Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN 20345:2022 ASTM F2413-11 M I/75 C/75 PR



M-8393 S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
CE EN ISO 20345:2022 ASTM F2413-11 M I/75 C/75 PR



M-8370 S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
CE EN ISO 20345:2022 ASTM F2413-11 M I/75 C/75 PR





In Stock

Yellow

Black



M-8377

Water Resistant Work Boots with Zip

Upper : Full Grain Nubuck Cow Leather

Lining : Breathable Sandwich Mesh

Insole : Super Memory Foam Insoles

Outsole : PU/Nitrile Rubber Injection (300°C HRO)


Toecap : Composite Toecap

Penetration : Kevlar Midsole Plate

Size : EU 37-47#, UK 3-13#, US4-14#

CE EN ISO 20345:2022+A1:2024 S3S SR CI HI FO HRO

ASTM E 2149-2020 Approved Anti-microbial Lining & Insoles (Odor Resistant)



Scuff Cap Abrasion TPU Protector



Water Resistant Sanvlar-Tex Membrane Liner



Slip Resistant & Abrasion Resistant & Heat Resistant



CE S1P Approved Steel Toecap & Steel Plate

Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN

Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N

+




≥3600 F/H
 Water Resistant




**GENUINE
 100%
 LEATHER**

 In Stock



M-8552



L-7578

Water Resistant & Slip Resistant Work Boots

Upper : Full Grain Crazy Horse Cow Nubuck Leather
 Lining : Water Resistant Sanvlar-tex Membrane
 Insole : Super Memory Foam Insoles
 Outsole : PU/Nitrile Rubber Injection (Anti-Slip)
 Toecap : Composite Toecap
 Penetration : Kevlar Midsole Plate
 Size : EU 37-47#, UK 3-13#, US4-14#
 CE EN ISO 20345:2022+A1:2024 S7S SR CI HI FO HRO
 ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)




100% Genuine Full Grain Cow Leather



Water Resistant Sanvlar-Tex Membrane Liner



Slip Resistant & Abrasion Resistant & Heat Resistant



Metal Free Composite Toecap & Kevlar Plate

Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN

+

Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N



Chemical & Pharmaceutical Industry



Best Recommended:

Recommended to use:
Fertilizer Plants, Detergent Plants,
Pigment Factory, Phosphate, Biological
laboratory, Pharmaceutical Research ,
Pharmaceutical production etc



In Stock

M-8565




EN 13832-3

Water Resistant & Chemical Resistant Work Boots



Upper : Full Grain Smooth Cow Leather
Lining : Water Resistant Sanvlar-tex Membrane
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection (Anti-Slip)
Toecap : Composite Toecap
Penetration : Kevlar Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
CE EN ISO 20345:2022 S7S SR CI HI FO HRO
ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)




Water Resistant Cow Leather



Water Resistant Sanvlar-Tex Membrane Liner



Slip Resistant & Abrasion Resistant & Heat Resistant



Metal Free Composite Toecap & Kevlar Plate



L-7163 RB



M-8027 RB

Hot Best Selling



L-7006 RB

S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement

> Size : EU 37-47#, UK 3-13#

CE EN ISO 20345:2022 S3 SR FO HRO



Heavy Duty S3 Safety Shoes

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-polyu Insoles
Outsole : Rubber Cement Soles
Toecap : Steel Toecap
Penetration : Steel Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
CE EN ISO 20345:2022+A1:2024 S3 SR FO
ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)



M-8010 RB

S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement

> Size : EU 37-47#, UK 3-13#

CE EN ISO 20345:2022 S3 SR FO HRO



L-7222 RB

S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement

> Size : EU 37-47#, UK 3-13#

CE EN ISO 20345:2022 S3 SR FO HRO



Thread Stitching Technology, Double Safety



Anti-Bacterial & Odor Resistant Lining & Insoles



Rubber Cement Sole With Kevlar Thread Stitching



CE S3 Approved Steel Toecap & Steel Plate



Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN



Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N



M-8215 RB

S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement

> Size : EU 37-47#, UK 3-13#

CE EN ISO 20345:2022 S3 SR FO HRO





Best Recommended:

Recommended to use:

Metal Welding, Metal Cutting, Metal Polishing,
Steel Structure Construction, Steel Smelting,
Aluminum Smelting, Copper Smelting, Glasses
Smelting & other Related Industry



Fire Sparkle Resistant

M-8387

Hot Best Selling

In Stock



Heat Resistant Welding S3 Work Boots

Upper : Full Grain Cow Leather + Anti-Sparkle Leather Cover

Thread: Fire-resistant Kelvar Stitching

Lining : Beathable Sandwich Mesh

Insole : Super Memory Foam Insoles

Outsole : PU/Rubber Injection (300°C HRO)

Toecap : Composite Toecap

Penetration : Kevlar Midsole Plate


Size : EU 37-47#, UK 3-13#, US4-14#

CE EN ISO 20345:2022 S3S SR CI HI FO HRO

ASTM E 2149-2020 Approved Anti-microbial Lining & Insoles (Odor Resistant)




Overcap Design for Extra Toe Protection



Anti-Bacterial & Odor Resistant Lining & Insoles



Slip Resistant & Abrasion Resistant & Heat Resistant



Metal Free Composite Toecap & Kevlar Plate

Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN

Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N

+



Metatarsal Protection

Safetoe metatarsal protection boots are designed to provide extra protection and support device on foot metatarsal area. These boots with reinforced device can help to shield metatarsal bones from impact and injury. Safetoe metatarsal protection boots are very suitable for those workplaces with dropping objects frequently, such as Mining, Mechanical Parts, Metal Cutting, Car Tyre, Woodwork etc.



M-8387MP S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection (300°C HRO)
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO



M-8552MP S3 SR

Upper : Full Grain Cow Crazy Horse Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection (300°C HRO)
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO




H-9552MP S3 SR

Upper : Full Grain Cow Crazy Horse Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection (300°C HRO)
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO





Oil & Gas Industry



Best Recommended:

Recommended to use:
Oil & Gas Exploitation, Petroleum Smelting,
Petrochemical, Natural Gas Station,
Liquefied Petroleum Gas etc.



In Stock

H-9437



H-9441




S3 Oil Resistant & Slip Resistant Safety Boots

Upper : Full Grain Crazy Horse Cow Nubuck Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Nitrile Rubber Injection (Anti-Slip)
Toecap : Composite Toecap
Penetration : Kevlar Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
Whole Height: 31 cm/ 12 inch (Size 42 for reference)
CE EN ISO 20345:2022+A1:2024 S3S SR CI HI FO HRO
ASTM E 2149-2020 Approved Anti-microbial Lining & Insoles (Odor Resistant)




Heavy Duty Original Cow Nubuck Leather



Anti-Bacterial & Odor Resistant Lining & Insoles



Slip Resistant & Abrasion Resistant & Heat Resistant



Metal Free Composite Toecap & Kevlar Plate



H-9430



H-9430

H:31CM



H-9430



H-9430


H:27CM

High Rigger S3 Work Boots

Upper : High Quality Palm Printed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-polyu Insoles
Outsole : PU/PU Dual Density(Desma Injection)
Toecap : Steel Toecap
Penetration : Steel Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
CE EN ISO 20345:2022 S3 SR
ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)



Water Resistant Cow Leather



Anti-Bacterial & Odor Resistant Lining & Insoles



Slip Resistant & Abrasion Resistant



Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN

+

Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N


CE S3 Approved Steel Toecap & Steel Plate

High Rigger S3 Work Boots

Upper : High Quality Palm Printed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-polyu Insoles
Outsole : PU/PU Dual Density(Desma Injection)
Toecap : Steel Toecap
Penetration : Steel Midsole Plate
Size : EU 37-47#, UK 3-13#, US4-14#
CE EN ISO 20345:2022 S3 SR
ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)



Water Resistant Cow Leather



Anti-Bacterial & Odor Resistant Lining & Insoles



Slip Resistant & Abrasion Resistant



Protection level	
LV.	Force
An1	15KN
An2	10KN
An3	4.4KN
An4	3.0KN
An5	1.5KN

+

Protection level	
LV.	Force
An1	1100N
An2	780N
An3	490N
An4	360N

CE S3 Approved Steel Toecap & Steel Plate

Hot Best Selling

In Stock



M-8515 S3 SR

Tactical Design Steel Toe Work Boots

Upper : Full Grain Smooth Cow Leather
 Lining : Breathable Sandwich Air Mesh
 Insole : Super Memory Foam Insoles
 Outsole : PU/Nitrile Rubber Injection (HRO 300°C)
 Toecap : Steel Toecap
 Penetration : Steel Midsole Plate
 Size : EU 37-47#, UK 3-13#, US4-14#
 CE EN ISO 20345:2022 S3 SR HRO
 ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)



Heavy Duty Original Full Grain Cow Leather



Anti-Bacterial & Odor Resistant Lining & Insoles



Slip Resistant & Abrasion Resistant & Heat Resistant



CE S3 Approved Steel Toecap & Steel Plate

Hot Best Selling

In Stock



H-9438 S3 SR/OB SR

Tactical Design Steel Toe Work Boots

Upper : Full Grain Smooth Cow Leather
 Lining : Breathable Sandwich Air Mesh
 Insole : Super Memory Foam Insoles
 Outsole : PU/Nitrile Rubber Injection (HRO 300°C)
 Toecap : Steel Toecap
 Penetration : Steel Midsole Plate
 Size : EU 37-47#, UK 3-13#, US4-14#
 CE EN ISO 20345:2022 S3 SR HRO
 ASTM E 2149-2020 Approved Anti-microbial Lining & Insole (Odor Resistant)



Heavy Duty Original Full Grain Cow Leather



Anti-Bacterial & Odor Resistant Lining & Insoles



Slip Resistant & Abrasion Resistant & Heat Resistant



CE S3 Approved Steel Toecap & Steel Plate



Design for food Industry



L-7019 BLACK S2 SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



Hot Best Selling



L-7019 S2 SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



L-7096 BLACK SB SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



L-7096 SB SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



L-7201 S2 SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



L-7196 S2 SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022





GLOBAL INDUSTRY
S O L U T I O N S



GLOBAL INDUSTRY
S O L U T I O N S

ADRIANA ROJAS

7901 4TH ST N SUITE 300
ST. PETERSBURG, FL. 33702

arojas@global-industrys.com

+1(305)510-1470 +502 35970635



GLOBAL INDUSTRY
S O L U T I O N S

PABLO MONZON

7901 4TH ST N SUITE 300
ST. PETERSBURG, FL. 33702

pmonzon@global-industrys.com

+1(305)510-1470





GLOBAL INDUSTRY
S O L U T I O N S